

1.

Image

投与前の血清 中総 IgE 濃度 (IU/mL)	体重 (kg)									
	≥20~25	>25~30	>30~40	>40~50	>50~60	>60~70	>70~80	>80~90	>90~125	>125~150
≥30~100	75mg	75mg	75mg	150mg	150mg	150mg	150mg	150mg	300mg	300mg
>100~200	150mg	150mg	150mg	300mg	300mg	300mg	300mg	300mg	450mg	600mg
>200~300	150mg	150mg	225mg	300mg	300mg	450mg	450mg	450mg	600mg	
>300~400	225mg	225mg	300mg	450mg	450mg	450mg	600mg	600mg		
>400~500	225mg	300mg	450mg	450mg	600mg	600mg				
>500~600	300mg	300mg	450mg	600mg	600mg					
>600~700	300mg		450mg	600mg						
>700~800										
>800~900										
>900~1,000										
>1,000~1,100										
>1,100~1,200										
>1,200~1,300										
>1,300~1,500										

4週間毎投与の表に該当しない場合には
2週間毎投与の表に従い投与すること

Image

投与前の血清 中総IgE濃度 (IU/mL)	体重 (kg)									
	≥20~25	>25~30	>30~40	>40~50	>50~60	>60~70	>70~80	>80~90	>90~125	>125~150
≥30~100										
>100~200										
>200~300										375mg
>300~400									450mg	525mg
>400~500							375mg	375mg	525mg	600mg
>500~600						375mg	450mg	450mg	600mg	
>600~700		225mg			375mg	450mg	450mg	525mg		
>700~800	225mg	225mg	300mg	375mg	450mg	450mg	525mg	600mg		
>800~900	225mg	225mg	300mg	375mg	450mg	525mg	600mg			
>900~1,000	225mg	300mg	375mg	450mg	525mg	600mg				
>1,000~1,100	225mg	300mg	375mg	450mg	600mg					
>1,100~1,200	300mg	300mg	450mg	525mg	600mg					
>1,200~1,300	300mg	375mg	450mg	525mg						
>1,300~1,500	300mg	375mg	525mg	600mg						

2週間毎投与の表に該当しない場合には
4週間毎投与の表に従い投与すること

投与不可


0.008mg/kg/ IU/mL 2 0.016mg/kg/ IU/mL 4

PD

IgE

IgE

Image



2. IV 2210

1 Zielen, S. et al.: Int. Arch. Allergy Immunol. 160, 102, 2013 XOLM01866

5

IgE 1,500-2,000 IU/mL

1

22

600mg 2 ABP EAR IgE
2,000IU/mL

□□□□

[illegible]

□□□□

ABP EAR 10/30 FEV1.0 PK PD
LAR 3/8 FEV1.0 PK/PD IgE Ig
FENO

22

□□□□□□18□65□□□□40□150kg□50□¹
 □Group1□IgE□□30□300IU/mL□Group2□□700□2,000IU/mL□

1

□□□□

1 IgE⁰²
Group1 175375mg42 Group2 1600mg2
IgE 2,000IU/mL 1600mg2

Group1 2008 6 EU
Group2 IgE 11ng/mL

5/5

Image



2 ABP EAR

8 EAR 23.1% Group1 9.3% Group2 5.6%
p=0.018 p<0.001 ANCOVA 16 EAR 20.0% Group1
11.8% Group2 5.1% p=0.087 p<0.001 ANCOVA

4.

[illegible]

5.

Page 10

IgE


- FEV1.0 80%
-
- 1

3PK

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Image



4

Group1 50.0% 9/18 Group2 100.0% 16/16 75.0% 12/16
Group1 3 16.7% Group2 5 31.3% 4 25.0%
Group1 1 5.6% Group2 1 6.3% 2.9% 1/34 6.3 1/16

PFS

IC

IC

IgE

Image



Source URL: <https://loadtest.pro.novartis.com/products/xolair/asthma/capacity>