

2. III 1307

[illegible]

※

1. [□□□■□□□□□□□□1304□□□](#)
2. [□□□■□□□□□□□□□□□□1307□□□](#)
3. [□□□■□□□□□□□□INNOVATE□□□□□□□□□](#)

[illegible]

2. **III** **1307** <sup>12</sup>

- 1 1307 XOLU00007  
2 Ohta, K. et al.: Allergol. Int. 59(2), 167, 2010 XOLM00054

[illegible]

**1**

11

48

1111

□□□□□24□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□

研究概要

研究目的と背景

研究デザイン

JGL 1998 133

研究結果

1 150 375mg 4 2 48 1  
IgE

研究結論

Safety population SAF  
Full analysis set FAS PEF 2  
uncontrolled population

研究期間

Image



☐ ☐


<□□□□□>

- FEV1.0 80%
- 
- 1

<□□□□□>

7.5 16

Image



1 Uncontrolled population 1307 133 1 2 37

1

- CFC-BDP 800μg/ 2 β2
- 800μg/

2

- FEV1.0 80%
- 
- 1/

2 BDP 800μg/

1. 1304
2. 1307
3. INNOVATE

PFS

XXXXXXXXXX

ICXXXXXXXXXX

ICXXXXXXXXXX

XXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX

IgEXXXXXX

Image



**Source URL:** [https://loadtest.pro.novartis.com/products/xolair/asthma/clinical\\_02](https://loadtest.pro.novartis.com/products/xolair/asthma/clinical_02)