

16

□□□□□□□□□□**TSC**□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

16

16.....ADHD

Image



- 46% of children with ADHD have comorbid anxiety disorders, 25% have comorbid depression, 40% have comorbid conduct disorder, 25% have comorbid oppositional defiant disorder, 30% have comorbid tic disorders, and 60% have comorbid specific phobias.
- 46% of children with ADHD have comorbid anxiety disorders, 25% have comorbid depression, 40% have comorbid conduct disorder, 25% have comorbid oppositional defiant disorder, 30% have comorbid tic disorders, and 60% have comorbid specific phobias.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



01

01

0000000000

0000

□□□□



16

16

ADHD

□□□□



7月12日

7月12日

SEGA

□□□□



1319

1319

AML

□□□□



□□□□**20**□□

□□□□**20**□□

□□□□□□□□**AML**□□□□□□□□□□□□□□□□**LAM**□

□□□□□

□□□□



55

5/5

[illegible]

□□□□□

□□□□

XXXXXXXXXXXXXXXXXXXX

XXXXXX

Source URL: *https://loadtest.pro.novartis.com/products/afinitor/tsc/age_03*